

Yankee Dundee - Selected Drill Results



Hole No.	Collar Data			From m	To m	Interval m	Est. True Thickness	Au g/t	Ag g/t	Pb %	Zn %
	AZ Deg	DIP Deg	Depth (m)								
YD07-01	180.00	-87.00	37.5	21.1	26.5	5.4	2.2	3.8	20	0.62	1.26
inc.			37.5	21.1	21.7	0.6	0.3	19.2	80	2.83	6.94
inc.			37.5	25.5	26.5	1.0	0.4	5.2	22	0.13	0.20
YD07-01	180.00	-87.00	37.5	32.6	33.7	1.1	0.5	4.0	22	0.87	2.00
YD07-02	180.00	-75.00	17.0	14.0	17.0	3.0	1.7	5.1	20	1.06	1.18
inc			17.0	15.0	16.0	1.0	0.6	12.4	40	1.65	1.22
YD07-05	160.00	-85.00	86.0	83.6	86.0	2.5	1.2	4.7	43	0.38	2.45
YD07-11	120.00	-45.00	61.3	26.6	28.1	1.5	1.4	7.5	60	0.40	0.10
YD07-15	128.00	-45.00	200.0	162.7	170.0	7.3	6.7	4.6	46	1.20	3.40
inc			200.0	164.2	166.0	1.8	1.6	8.1	75	0.80	6.10
YD07-16	128.00	-60.00	212.1	175.6	185.0	9.4	8.7	2.0	9	0.30	0.80
inc			212.1	179.7	180.4	0.8	0.7	12.3	53	1.30	3.60
YD07-17	120.00	-45.00	150.3	90.5	93.0	2.4	2.0	2.3	11	0.80	1.70
inc			150.3	91.9	92.4	0.5	0.4	9.9	9	0.30	0.30
YD08-25	165.00	-55.00	210.0	169.8	186.4	16.7	13.4	3.1	64	2.52	3.09
inc.			210.0	178.0	182.5	4.5	3.6	10.2	209	8.17	9.06
inc.			210.0	179.3	182.0	2.7	2.2	16.0	324	12.92	13.86
YD08-26	161.00	-45.00	99.7	72.1	74.7	2.6	2.4	3.1	35	2.20	0.96
inc.			99.7	73.5	74.7	1.2	1.0	6.6	58	3.63	1.72



Yankee Dundee - Selected Drill Results

Hole No.	Collar Data			From m	To m	Interval m	Est. True Thickness	Au g/t	Ag g/t	Pb %	Zn %
	AZ Deg	DIP Deg	Depth (m)								
YD08-29			155.8	144.2	145.4	1.2	1.1	1.1	1508	0.08	0.66
and				154.7	154.9	0.2	0.1	1.2	13	0.08	12.47
YD08-30	161.00	-50.00	208.5	161.6	161.8	0.2	0.2	6.9	4	0.01	0.06
YD08-31	140.00	-60.00	206.4	172.0	172.5	0.5	0.4	1.0	37	0.73	0.66
YD08-32	132.00	-45.00	102.4	57.0	58.0	1.0	0.9	1.4	9	1.11	0.53
YD08-33	193.00	-50.00	191.1	65.0	66.5	1.5	1.3	0.1	19	0.89	1.23
and inc.				124.0	128.5	4.5	4.0	3.5	15	0.61	0.42
				124.7	127.0	2.3	2.0	6.2	29	1.12	0.44
YD08-34	183.00	-60.00	206.4	81.5	81.8	0.3	0.3	7.1	47	1.74	10.61
and				95.5	95.8	0.3	0.2	5.5	18	0.64	0.81
and				138.0	139.9	1.8	1.6	2.4	41	0.85	1.92
YD08-35	175.00	-65.00	101.5	46.7	48.0	1.3	1.1	1.3	8	0.32	0.15
YD08-36	150.00	-60.00	160.6	41.2	42.0	0.8	0.7	2.4	8	0.50	0.19
YD08-37	150.00	-62.00	203.0	170.0	194.7	24.8	21.8	2.2	12	0.32	0.60
inc.				170.0	183.0	13.0	11.5	3.7	20	0.52	0.94
inc.				170.0	172.0	2.0	1.8	14.4	73	2.18	1.92